



Assembly instruction

PAX hip belt P5/11 2.0






# Assembly instruction PAX hip belt P5/11 2.0

Product: PAX hip belt P5/11 2.0

Item No: 276120303

Manufacturer: X-CEN-TEK GmbH & Co. KG  
Westerburger Weg 30  
26203 Wardenburg / Germany  
Phone: +49 44 07 - 7 14 76 0  
Fax: +49 44 07 - 7 14 76 99  
Email: info@pax-bags.de  
Web: www.pax-bags.com





## Removing the standard backpack shoulder straps



1.

Open the internal construction zip to access the mounting points of the backpack shoulder straps.



2.

Push the backpack shoulder straps out through the slot opening.



3.

Separate the backpack shoulder straps from the high-viz yellow buckles.






## Removing the PAX feet from the bottom of the corpus

4.

Push the buckle apart using a pointed object.



Finished with the preparation

## Finished with the preparation

5.

Separate the shoulder straps and webbing strips.





6.

Thread the pick-up points from the backpack shoulder straps through the pick-up points of the backpack. Thread the webbing end of the strap through the slot first and then tighten the rest from the inside.



7.

Pull the webbing with hook tape through the high-viz yellow eyelet.

**⚠ Note:**  
looped part of the webbing points away from the backpack.



8.

Thread the end of the webbing through the loop of the backpack shoulder straps and fix it to the hook tape.



9.

Repeat step 8. with the second backpack shoulder strap.



10.

Fix the hook tape areas on the back of the hip belt pad with the fleece tape of the webbing strips.



11.

Place the Velcro tabs of the hip pad around the webbing to secure the pad.



12.

Reconnect the high-viz yellow buckles of the backpack shoulder straps.



The backpack is ready for use.



**X-CEN-TEK GmbH & Co. KG**

Westerburger Weg 30  
26203 Wardenburg  
Germany

Phone: +49 44 07 - 7 14 76 - 0  
Fax: +49 44 07 - 7 14 76 - 99  
Email: [info@pax-bags.de](mailto:info@pax-bags.de)



[www.pax-bags.com](http://www.pax-bags.com)

